



RECEIPT
#3
FILE COPY

PATENT
ATTORNEY DOCKET NO. 07043/060002

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Brosnihan, et al. Art Unit: 2812
Serial No.: 09/342,348 Examiner: Unassigned
Filed : June 29, 1999
Title : MICROFABRICATED HIGH ASPECT RATIO DEVICE WITH
ELECTRICAL ISOLATION AND INTERCONNECTIONS

Assistant Commissioner for Patents
Washington, DC 20231

REQUEST TO CORRECT FILING RECEIPT ERROR

The Filing Receipt received by applicants has an error.

Applicants request that the filing receipt be changed to add the
Continuing Data and correct the Attorney Docket Number.

The Continuing data as claimed by applicant is:

--THIS APPLN IS A DIV OF 08/874,568 06/13/1997--.

The Docket No. "07043/060001" should be changed to

--07043/060002--.

A copy of the Filing Receipt with the corrections in
red is attached.

Applicants request that the Patent Office issue a
corrected Filing Receipt.

RECEIVED
JUN 14 2003
TC 2800 MAIL ROOM

Date of Deposit August 17, 1999
I hereby certify under 37 CFR 1.8(a) that this correspondence is
being deposited with the United States Postal Service as first class
mail with sufficient postage on the date indicated above and is
addressed to the Assistant Commissioner for Patents, Washington,
D.C. 20231.

Matilde C. Sanchez
Matilde C. Sanchez

54478824

Please apply any charges not covered, or any credits,
to Deposit Account 06-1050.

Respectfully submitted,

Date: 8/17/99 David J. Goren
David J. Goren
Reg. No. 34,609

Fish & Richardson P.C.
2200 Sand Hill Road, Suite 100
Menlo Park, CA 94025


Telephone: 650/322-5070
Facsimile: 650/854-0875

101776.PAL1

FILING RECEIPT

UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY AND COMMISSIONER
OF PATENTS AND TRADEMARKS
Washington, D.C. 20231WJE
DJG

| APPLICATION NUMBER | FILING DATE | GRP ART UNIT | FIL FEE REC'D | ATTORNEY DOCKET NO. | DRWGS | TOT CL | IND CL |
|--------------------|-------------|--------------|---------------|---------------------|-------|--------|--------|
| 09/342,348 | 06/29/99 | 2812 | \$380.00 | 07043/060001 | 13 | 12 | 1 |

FISH & RICHARDSON
2200 SAND HILL ROAD
SUITE 100
MENLO PARK CA 940252
RECEIVED

AUG 20 1999

FISH & RICHARDSON
SILICON VALLEY OFFICE

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts of Application" ("Missing Parts Notice") in this application, please submit any corrections to this Filing Receipt with your reply to the "Missing Parts Notice." When the PTO processes the reply to the "Missing Parts Notice," the PTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s) TIMOTHY J. BROSNIHAN, BERKELEY, CA; JAMES BUSTILLO,
CASTRO VALLEY, CA; WILLIAM A. CLARK, FREMONT, CA.

THIS APPLN IS A DIV OF 08/874,568 06/13/1997

TITLE MICROFABRICATED HIGH ASPECT RATIO DEVICE WITH ELECTRICAL ISOLATION
AND INTERCONNECTIONS

** SMALL ENTITY **

PRELIMINARY CLASS: 438

RECEIVED
JUN 14 2000
C 2800 MAIL ROOMMissing Priority
Info. - 07043/060001

| | |
|--------------|------------------|
| Docketed By | Practice Systems |
| Action Code: | Correct dr |
| Bus. Date: | 8/19/99 |
| Due Date: | 9/19/99 |
| Deadline: | |
| Initials: | AW |
| Record: | |

| | |
|-------------|-------------------|
| Docketed By | Billing Secretary |
| Due Date: | 9-8-99 |
| Deadline: | |
| Initials: | ms |

DATA ENTRY BY: GENTRY, CHRISTINE TEAM: 01 DATE: 07/22/99

(See reverse for new important information)